2001/002 P. 003/007

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

Address 17 Sherington Drive

Signature

ELEVATION CERTIFICATE

OMB No. 1660-0008

Expires February 26, 2009 National Flood Insurance Program Important Read the instructions on pages 1-8. SECTION A - PROPERTY INFORMATION For Insurance Company Use: 1. Building Owner's Name Anthony Jackson Policy Number Building Street Address (Including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Company NAIC Number #111 Royal Lane City Popler State GA ZIP Code 31322 A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 4473, Building 47, The Rairest at Forest Lakes, Phase 3 P.I.N. #5-1014D-04-006 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. N32-08-84 Long. W81-15-89 Horizontal Deturn: ☐ NAD 1927 ☑ NAD 1983 AS. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1 A8. For a building with a grawl space or enclosure(s), provide A9. For a building with an attached garage, provide: a) Square footage of crawl space or enclosure(s) N/A sqft a) Square footage of attached garage b) No. of permanent flood openings in the crawl space or sq ft b) No. of permanent flood openings in the attached garage enclosure(s) walls within 1.0 foot above adjacent grade N/A walls within 1.0 foot above adjacent grade Q Total net area of flood openings in A8.b N/A sa in c) Total net area of flood openings in A9,b N/A sq in SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B1. NFIP Community Name & Community Number **B2.** County Name 83. State Chatham County, Georgia (Unincorporated Areas) 130030 Chatham GA 84. Map/Panel Number **B5.** Suffix 86. FIRM Index 87. FIRM Panal B8. Flood 89. Base Flood Elevation(s) (Zone Date Effective/Revised Date Zone(s) 130030 0020 AO, use base flood depth) C 5/14/1978 5/19/1987 AF 18.0 810. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item 89. ☐ FIS Profile Community Determined Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: ☑ NGVD 1929 ■ NAVD 1988 ☐ Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? **□Yes ⊠N**n Designation Date CBRS OPA. SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) Building elevations are based on: Construction Drawings* ☐ Building Under Construction⁴ "A new Elevation Certificate will be required when construction of the building is complete. S Finished Construction UZ. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.e-g below according to the building diagram specified in Item A7. Benchmark Utilized C20 Vertical Datum NGVD 1929 Conversion/Comments None Check the measurement used. Top of bottom floor (including basement, crawl space, or enclosure floor)_ 21.6 ☑ feet ☐ maters (Puerto Rico anly) b) Top of the next higher floor 31.9 feet I meters (Puerto Rico only) Bottom of the lowest horizontal structural member (V Zones only) C) NA Great meters (Puerto Rico oniv) Attached garage (top of slab) 21.1 ☑ feet ☐ maters (Puerto Rico aniy) Lowest elevation of machinery or equipment servicing the building 0) 21.2 ☑ feat ☐ meters (Puerto Rico only) (Describe type of equipment in Comments) Ð Lowest adjacent (finished) grade (LAG) 20.0 ☑ feet ☐ meters (Puerto Rico only) Highest adjacent (finished) grade (HAG) a) 21.1 🖾 feet 🔲 meters (Puerlo Rico only) SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the date available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Certifler's Name Terry G. Hatchell License Number 2663 Title President

Company Name Surveying Consultants

State SC ZIP Code 29910

Telephone (843) 815-3304

City Bluffton

6/7/2007

Dilling G. HE

JUN-13-2007(WED) 18:35 Butch

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) Insurance agent/company, and (3) building owner. Comments Item C2(e) refers to A/C pad. Signature Date 6/7/2007 Date 6/7/2007 Date 6/7/2007 Check here if attact SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMA-F request, complete Sections A, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate bases to show whether the elevation is above or below the highest adjact grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments Item C2(e) refers to A/C pad. Signature Date 6/7/2007 Date 6/7/2007 Check here if attact SECTION E - BOLDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For hems E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adja grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is feetmetersabove or below the HAG. b) Top of bottom floor (including basement, crawl space, or enclosure) is feet metersabove or below the LAG. E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A Items 8 and/or 9 (see page 8 of instructions), the next higher floor (elevation C2) in the diagramsy of the building is feet meters above or below the HAG. E3. Attached garage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only: if no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain manager or zone AO only: if no flood depth number is available, in the top of the bottom floor elevated in accordance with the community's floodplain manager zone AO must sign here. The statements in Sections A, B, and E far Zone AO (without a FEMA-issued or community-issue) or Zone
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments Item C2(e) refers to A/C pad. Signature Date 6/7/2007 Signature Date 6/7/2007 Check here if attact SECTION E - BOILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete Items £1-£5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For Items £1-£4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjact grade (I-AG). a) Top of bottom floor (including basement, crawl space, or enclosure) is
Comments Item C2(e) refers to A/C pad. Signature Date 6/7/2007 Date 6/7/2007 Check here if attact SECTION E - BOILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT B) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Ricc only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjag grade (I/AG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is
Signature Date 6/7/2007 Section E - Bold Ding ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Ricc only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adja grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is
Signature Date 6/7/2007 Check here if attact SECTION E - BOYDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjact grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, craw space, or enclosure) is
SECTION E - BOILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BI For Zones AO and A (without BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjating grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is feet meters above or below the HAG. b) Top of bottom floor (including basement, crawl space, or enclosure) is feet meters above or below the LAG. E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A Items 8 and/or 9 (see page 8 of Instructions), the next higher floor (elevation C2b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached gerage (top of slab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain manage or dimance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issue or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.
For Zones AO and A (without BFE), complete items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG), a) Top of bottom floor (including basement, crawl space, or enclosure) is
E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adja grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is
Property Owner's or Owner's Authorized Representative's Name Address City State ZIP Code
Signature Date Telephone
Comments
☐ Check here if at
SECTION G - COMMUNITY INFORMATION (OPTIONAL)
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C and G, of this Flavarion Cartificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8. and G9.
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architecture in surtherized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
G3. The following information (items G4G9.) is provided for community floodplain management purposes.
G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued 4/14/2006
G7. This permit has been issued for: New Construction Substantial Improvement
G8. Elevation of as-built lowest floor (including basement) of the building: feet maters (PR) Datum
G8. Elevation of as-built lowest floor (including basement) of the building: weet maters (PR) Datum G9. BFE or (in Zone AO) depth of flooding at the building site: feet meters (PR) Datum
20. Charleton or experimental and a second s
G9. BFE or (In Zone AO) depth of flooding at the building site:
G9. BFE or (In Zone AO) depth of flooding at the building site: Local Official's Name Trice Tr
C9. BFE or (In Zone AO) depth of flooding at the building site: Local Official's Name Title Community Name Telephone