Tr Jan. 22. 2008 4:49PM

HALLMARK HOMES 354 BB13

U1/22/2008 14:No. 3226#48F. 1/22/003

U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency

National Flood Insurance Program Important Read the instructions on pages 1-8.

200				ION A - PRO	-141 1 1141	O' WIN C	1014	L Of Head	zince Compa	uly OSC.
	luilding Owner's Nam IALLMARK HOMES	TV-10-10-10-10-10-10-10-10-10-10-10-10-10-				Policy Nu	ımber .			
AZ B	The same of the sa	s (including Apt. E	Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.					Company NAIC Number		
	ity	**************************************	State			ZIP Code				
	OOLER Toparty Description (L	of and Block Nu	GA mbers, Tax Parcel N	Imber Legal D	escription of	31322 lc.)	· ·			
	OT 131, THE ARBOY	RS, PHASE 7C (S	SUBDIVISION MAP I	300K 38S, PA	GES 38A-B)	9.5				
	luliding Use (e.g., Res								0.20	
	attude/Longitude: Lat			orizontal Datum	:	927⊠N/	D 1983			
A7. B	ttach at least 2 photo uilding Diagram Numi	grapns or me our ber3	wind it the Celcucate	e is being used i	TO OCCUPANT THOO	d insular	IC9.			
Aß. F	or a building with a cr	awl space or end	dosure(s), provide:		A9.	For a bul	lding with an att	ached garage	, provide:	
	 Square footage of (No. of permanent f 	416 sq ft						n pa		
	endosure(s) walls	within 1.0 foot ab	ove edjacent grade ()	. '		within 1,0 foot a			n Nasada
C)	Total net area of flo	nd openings In A	V8.b	S ad lu		c) Total	net area of floor	d openings In	A9.b <u>0</u>	ed ju
		-	TION B - FLOOD I			(FIRM)	INFORMATIC			
	FIP Community Name TY OF POOLER			B2. County Nan CHATHAM	ne			B3. State GA		
84. N	lap/Panel Number	85. Suffix	B6. FIRM Index		FIRM Panel		89. Flood			ation(s) (Zone
,	130030 0020	c	Date 09/20/1995		s/Revised De V19/1987	ete	, Zone(s) AE	AO,	use base flo	od depth)
0. In	dicate the source of t		levation (BFE) data of	or base flood de	pth entered				,,,,	
	_		Community Determin		Other (De	-				
	idicate elevation datu the building located i				VD 1988		Other (Describ		h. 1571.	
	ma brackld located i		Mr Kashumoo Sveire		or Otherwise	D Protect	3d A798 (OPA)?		Yes 🖾	Ю
Ď	esignation Date	4 0005001 00111	01 (00001,000 0)3001				` '			
D	esignation Date	SECTIO	N C - BUILDING E	☐ ¢B	RS DOPA			RED)		****
Bul *A	liding elevations are to new Elevation Certific evetions - Zones A1-	SECTION pased on: tate will be required. A30, AE, AH, A (vollding diagram s	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3	CBI	RS OPA NFORMATI uilding Under Is complete I, AR, AR/A.	ION (SU r Constru AR/AE, /	RVEY REQUI	Finished Cor		ms C2.a-g
Bul A	liding elevations are a new Elevation Certific evetions — Zones A1-J low according to the b normark Utilized TBN	SECTION Desed on: Take will be required. A30, AE, AH, A (vollding diagram s	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3	CBI	RS OPA NFORMATI uilding Under Is complete I, AR, AR/A.	ION (SU r Constru	RVEY REQUI	Finished Cor		ma C2,4-g
Bul *A : Ele bel Be	liding elevations are to new Elevation Certific evetions - Zones A1-	SECTION Desed on: Take will be required. A30, AE, AH, A (vollding diagram s	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3	CBI	RS OPA NFORMATI uilding Under Is complete I, AR, AR/A.	ON (SU r Constru AR/AE, /	RVEY REQUI	Finished Cor		ms CZ.a-g
Bul A	esignation Date Ilding elevations are to new Elevation Certific systions — Zones A1-4 low according to the brochmark Utilized TBN myersion/Comments (SECTION pased on: ante will be required. A.D. A.E. A.H. A. (woulding diagram and	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3	GLEVATION II ge* But of the building 10, V (with BFE)	RS OPA NFORMATI uilding Under I is complete I, AR, AR/A, Vertical	ION (SU r Constru AR/AE, / Datum <u>N</u>	RVEY REQUI	Finished Cor AH, AR/AO. (ement used.	Complete Ita	me CZ.a-g
Bul A Elebel Bel Co	esignation Date Ilding elevations are to new Elevation Certific systions — Zones A1-4 low according to the brochmark Utilized TBN myersion/Comments (SECTION pased on: ante will be required AD, AE, AH, A (volution) diagram : N/A (Including basem	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7.	GLEVATION II ge* But of the building 10, V (with BFE)	RS OPA NFORMATI uilding Under I is complete I, AR, AR/A, Vertical	ION (SU r Constru AR/AE, / DatumiN	RVEY REQUI	Finished Cor AH, AR/AO. (ement used. ento Rico only)	Complete Ita	ms CZ,ą-g
Bul *A Ele bel Bel Co	esignation Date Ilding elevations are to new Elevations Certifications — Zones A1-4 low according to the tonchmark Utilized TBN inversion/Comments If Top of bottom toor	SECTION pased on: make will be required. ADD, AE, AH, A (volution of diagram of the color of	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7.	GEVATION II ge* GR n of the building 10, V (with BFE)	RS OPA NFORMATI uilding Under I is complete I, AR, AR/A, Vertical	Ch	RVEY REQUI	Finished Cor AH, AR/AO. (ement used. ento Rico only) ento Rico only)	Complete Ita	ms CZ.a-g
Bul A Electric Bear Contact Book Book Book Book Book Book Book Boo	esignation Date liding elevations are it new Elevation Certific rections — Zones A1-/ low according to the it nchmark Utilized TBN nversion/Comments [Top of bettom floor Top of the next high Bottom of the lower Attached garage (to	SECTION pased on: pa	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7. Thent, crawl space, or	GEVATION IF ge* GR n of the building 0, V (with BFE) enclosure floor	RS OPA NFORMATI uniding Under I is complete I, AR, AR/A. Vertical	ION (SU r Constru , AR/AE, / Datum <u>N</u> Ch Steel	RVEY REQUI ction* RVA1-A30, AR/A GVD 29 eck the measure meters (Pue meters (Pue meters (Pue	AH, AR/AO. (conject used. erto Rico only)	Complete Ita	ms C2.a-g
Bul *A . Ele bel Bel Co. a) b) c)	esignation Date liding elevations are it new Elevation Certific rections — Zones A1-/ low according to the it nchmark Utilized TBN nversion/Comments [Top of bettom floor Top of the next high Bottom of the lower Attached garage (to	SECTION pased on: pate will be required. AD. AE, AH, A (volution of diagram set of the control of the contr	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7. THE TOTAL CONTROL OF THE CONTROL THE TOTAL CONTROL OF THE CONTROL OF	GEVATION IF ge* GR n of the building 0, V (with BFE) enclosure floor	RS OPA NFORMATI uniding Under Is complete AR, AR/A Vertical 22.9 23.2 N/A	ION (SU r Constru , AR/AE, / Datum <u>N</u> Ch Steel	RVEY REQUI ction* R/A1-A30, AR/A GVD 29 ack the measur meters (Pue	AH, AR/AO. (conject used. erto Rico only)	Complete Ita	ms C2.a-g
Bull AA . Electric bell Book Co. a) b) c) d)	ilding elevations are to new Elevation Certific vectors — Zones A1-/low according to the inchmark Utilized TBN reversion/Comments I Top of bettom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of the Lowest elevation of	SECTION pased on: pa	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7. Thent, crawl space, or ctural member (V Zor uipment servicing the	GEVATION IF ge* GR n of the building 0, V (with BFE) enclosure floor	RS OPA NFORMATI uniding Under Is complete AR, AR/A Vertical 22.9 23.2 N/A N/A	ION (SU r Constru , AR/AE, / Datum Y Ch Y See I feel X feel	RVEY REQUI ction* R/A1-A30, AR/A GVD 29 eck the measure meters (Pue meters (Pue meters (Pue meters (Pue meters (Pue	AH, AR/AO. (corporat used. corporat used. corporat Rico only) corto Rico only)	Complete Ita	ms C2.a-g
Bull A Ele bel Bel Coo a) b) c) d) e)	ilding elevations are in new Elevation Certific revetions — Zones A1-/low according to the inchmark Utilized TBN reversion/Comments I Top of bettom floor Top of the next high Bottom of the lower Attached garage (to Lowest elevation of the Coescribe type of all	SECTION cased on: cate will be requir ADD, AE, AH, A (volding diagram s MA (Including basem ner floor at horizontal struct pp of stab) (machinery or equipment in Commished) grade (LA	N C - BUILDING E Construction Drawin when construction with BFE), VE, V1-V3 specified in Item A7. Hent, crawl space, or citizal member (V Zor uipment servicing the ments)	GEVATION IF ge* GR n of the building 0, V (with BFE) enclosure floor	RS OPA NFORMATI uniding Under I is complete AR, AR/A Vertical 22.9 23.2 N/A N/A 22.5	ION (SU r Constru , AR/AE, / Datum Y Ch Y See I feel X feel	RVEY REQUI	AH, AR/AO. (corporat used. corporat used. corporat Rico only) corto Rico only)	Complete Ita	me CZ.a-g
Bull A Code Bee Code	esignation Date Ilding elevations are to new Elevation Certific retains — Zones A1-flow according to the functional control of the function of the reach high Bottom of the lower Attached garage (for Lowest elevation of (Describe type of at Lowest adjacent (fin	SECTION cased on: cate will be required. AD. AE, AH, A (volding diagram of the case of	N C - BUILDING E Construction Drawin when construction with BFE), VE, V1-V3 specified in Item A7. Hent, crawl space, or citizal member (V Zor uipment servicing the ments)	CBI ELEVATION II ge* GBI n of the building 10, V (with BFE) enclosure floor ness only) a building	RS OPA NFORMATI uniding Under I is complete I, AR, AR/A Vertical 22.9 23.2 N/A N/A 22.5 21.8 22.8	ION (SU) r Construit AR/AE, / Datumn Ch Sfeed Sfeed	RVEY REQUI ction* R/A1-A30, AR/A GVD 29 eck the measur meters (Pue meters (Pue meters (Pue meters (Pue meters (Pue meters (Pue	Efinished Cor AH, AR/AO. (ement used. enter Rice only) enter Rice only) enter Rice only) enter Rice only) enter Rice only) enter Rice only)	Complete Ita	ms C2.a-g
Bull A Belo belo belo belo belo belo belo belo b	esignation Date Ilding elevations are to new Elevation Certific pretions — Zones A1-Jow according to the brochmark Utilized TBN reversion/Comments I Top of bettom floor Top of the next high Bottom of the lowest Attached garage (for Lowest elevation of (Describe type of at Lowest adjacent (fir Highest adjacent (fir ertification is to be signal.)	SECTION cased on: ca	N C - BUILDING E Construction Drawin ed when construction with BFE), VE, V1-V3 specified in Item A7. Thent, crawl space, or ctural member (V Zon uipment servicing the ments) AG) N D - SURVEYOF oy a land surveyor, e	CBI ELEVATION II ge* Bu n of the building 0, V (with BFE) enclosure floor aces only) a building	RS OPA NFORMATI uniding Under I is complete I, AR, AR/A. Vertical 22.9 23.2 N/A. N/A. 22.5 21.8 22.8 C, OR ARCH itect authorize	Datumin Ch	RVEY REQUICATION STATE OF THE PROPERTY OF THE	AH, AR/AO. (corporat used. corporat used. corporat used. corporat Rico only) corporation Rico only)	Complete Ita	ms C2.a-g
Builder Beer Cook	esignation Date Ilding elevations are to enew Elevation Certific evetions — Zones A1-Jow ectording to the brokenstion/Comments of the lower top of the next high Bottom of the lower Attached garage (to Lowest elevation of Describe type of elevation of the lowest adjacent (fill Highest adjacent (fill Highest adjacent (fill the ertification is to be signation. I certify that the	SECTION cased on: cate will be require A30, AE, AH, A (volding diagram s N/A (Including basem per floor at horizontal struct pr of slab) grade (LA nished) grade (LA SECTIO mod and sealed be information on	N C - BUILDING E Construction Drawin de when construction with BFE), VE, V1-V3 specified in Item A7. Thenk crawl space, or stural member (V Zon uipment servicing the ments) AG) AG) IN D - SURVEYOR by a land surveyor, o this Certificate represent	CBI ELEVATION II ge* Br n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER righter, or arch	RS OPA NFORMATI Initiding Under I is complete I, AR, AR/A Vertical 22.9 23.2 N/A N/A 22.5 21.8 22.9	Datumin Charles Steel	RVEY REQUICATION CONTROL CONTR	AH, AR/AO. (corporat used. corporat used. corporat used. corporat Rico only) corporation Rico only)	Complete Ita	ms CZ.a-g
Bull A A A A A A A A A A A A A A A A A A	esignation Date Ilding elevations are to new Elevation Certific pretions — Zones A1-Jow according to the brochmark Utilized TBN reversion/Comments I Top of bettom floor Top of the next high Bottom of the lowest Attached garage (for Lowest elevation of (Describe type of at Lowest adjacent (fir Highest adjacent (fir ertification is to be signal.)	SECTION cased on: cate will be require A30, AE, AH, A (validing diagram s N/A (Including basem per floor at horizontal struct per stab) machinery or equipment in Commished) grade (LA SECTIO med and sealed to a Information on the statement may be	Construction Drawin construction Drawin with BFE), VE, V1-V3 specified in Item A7. Hent, crawl space, or ctural member (V Zer unipment servicing the ments) AG) AG) DN D - SURVEYOF oy a land surveyor, e this Certificate represe punishable by fine	CBI ELEVATION II ge* Br n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER righter, or arch	RS OPA NFORMATI Initiding Under I is complete I, AR, AR/A Vertical 22.9 23.2 N/A N/A 22.5 21.8 22.9	Datumin Charles Steel	RVEY REQUICATION CONTROL CONTR	AH, AR/AO. (corporat used. corporat used. corporat used. corporat Rico only) corporation Rico only)	Complete Ita	me CZ.a-g
Bull *A. A. Bell bell bell bell bell bell bell bell	esignation Dete liding elevations are to new Elevation Certific tretions — Zones A1-Jow according to the brokenstick Utilized TBN reversion/Comments of the lower action of the lower Attached garage (to Lowest elevation of (Describe type of the Lowest adjacent (first Highest adjacent (first Highest adjacent (first Highest adjacent that any false to eck here if comments or's Name	SECTION cased on: cate will be require A30, AE, AH, A (validing diagram s N/A (Including basem per floor at horizontal struct per stab) machinery or equipment in Commished) grade (LA SECTIO med and sealed to a Information on the statement may be	Construction Drawin construction Drawin with BFE), VE, V1-V3 specified in Item A7. Hent, crawl space, or ctural member (V Zer unipment servicing the ments) AG) AG) DN D - SURVEYOF oy a land surveyor, e this Certificate represe punishable by fine	CBI ELEVATION II ge* Br n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER righter, or arch	RS OPA NFORMATI Initiding Under Is complete AR, AR/A Vertical Vert	Datumen Ch Steel Indicate Indica	RVEY REQUICATION CONTROL CONTR	AH, AR/AO. (corporat used. corporat used. corporat used. corporat Rico only) corporation Rico only)	Complete Ita	720
Bull Bull Bull Bull Bull Bull Bull Bull	esignation Date Ilding elevations are to new Elevation Certific evetions — Zones A1- low eccording to the brachmark Utilized TBN Top of bottom theory Top of the next high Bottom of the lower Attached garage (to Lowest elevation of (Describe type of all Lowest adjacent (first Highest adjacent (first Highest adjacent (first Highest adjacent that the stand that are formments	SECTION cased on: cate will be require A30, AE, AH, A (validing diagram s N/A (Including basem per floor at horizontal struct per stab) machinery or equipment in Commished) grade (LA SECTIO med and sealed to a Information on the statement may be	Construction Drawin construction Drawin with BFE), VE, V1-V3 specified in Item A7. Hent, crawl space, or ctural member (V Zer unipment servicing the ments) AG) AG) DN D - SURVEYOF oy a land surveyor, e this Certificate represe punishable by fine	CBI ELEVATION II ge* Br n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER righter, or arch	RS OPA NFORMATI Initiding Under Is complete Is complete Is AR, AR/A Vertical Vertica	Datumen Ch Steel Indicate Indica	RVEY REQUICATION CONTROL CONTR	AH, AR/AO. (corporat used. corporat used. corporat used. corporat Rico only) corporation Rico only)	Complete Ita	720
Bulling A. C. Elebel Bell Co. C.	esignation Dete Ilding elevations are to now Elevation Certific evetions — Zones A1-Jow ectording to the broken and the comments of the lower Elevation of the lower Elevation of the lower Attached garage (to Lowest elevation of the Constitution of Checkitot of Checkitot of the Highest adjacent (fill Highest adjacent (fill Highest adjacent that any false to the Elevation of the Comments of the Name in A. Hale, Jr. pred Land Surveyor	SECTION cased on: cate will be require A30, AE, AH, A (validing diagram s N/A (Including basem per floor at horizontal struct per stab) machinery or equipment in Commished) grade (LA SECTIO med and sealed to a Information on the statement may be	Construction Drawin and when construction with BFE), VE, V1-V3 specified in Item A7. Thenk crawl space, or stural member (V Zon uipment servicing the ments) AG) IN D - SURVEYOF by a land surveyor, expurishable by fine the punishable by fine back of form. Company Name Kern-Coleman & Company Name	CBI ELEVATION II ge* Be n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER agineer, or arch ands my best of	RS OPA NFORMATI Initial gradual in a complete in a complet	AR/AE, A DatumN Ch Steel	RVEY REQUICATION CONTROL CONTR	Efinished Cor AH, AR/AO. (ement used. ento Rico only) ento Rico only) ento Rico only) ento Rico only) ento Rico only) ento Rico only)	Complete Ita	7 08
Bull Bull Bull Bull Bull Bull Bull Bull	esignation Dete Ilding elevations are to now Elevation Certific evetions — Zones A1-Jow ectording to the broken and the comments of the lower Elevation of the lower Elevation of the lower Attached garage (to Lowest elevation of the Constitution of Checkitot of Checkitot of the Highest adjacent (fill Highest adjacent (fill Highest adjacent that any false to the Elevation of the Comments of the Name in A. Hale, Jr. pred Land Surveyor	SECTION cased on: cate will be require A30, AE, AH, A (validing diagram s N/A (Including basem per floor at horizontal struct per stab) machinery or equipment in Commished) grade (LA SECTIO med and sealed to a Information on the statement may be	Construction Drawin and when construction with BFE), VE, VI-VI specified in Item A7. Thenk crawl space, or stural member (V Zon uipment servicing the ments) AG) IN D - SURVEYOF by a land surveyor, equipment servicing the purishable by fine in back of form.	CBI ELEVATION II ge* Be n of the building 0, V (with BFE) enclosure floor aces only) a building R. ENGINEER agineer, or arch ands my best of	RS OPA NFORMATI Initiding Under Is complete AR, AR/A Vertical Vert	Datumin Charles I feel Steel S	RVEY REQUICATION CONTROL CONTR	Efinished Cor AH, AR/AO. (ement used. ento Rico only) ento Rico only) ento Rico only) ento Rico only) ento Rico only) ento Rico only)	Complete Ita	7 08

01/22/2008 14:4No. 32261487P. 2/21/003

IMPORTANT: In these epo	ı A.	For Insurance Company Use:		
120 MAGNOLIA DRIVE	ng Apt., Unit, Suite, and/or Bldg. No.) or P.	O. Route and Box No.		Policy Number
City YOLER	State GA	*****	ZIP Code 31322	Company NAIC Number
SEC	TION D - SURVEYOR, ENGINEER,	OR ARCHITECT CI	RTIFICATION (CON	(TINUED)
	n Certificate for (1) community official, (2) i	nsurance agent/compa	my, and (3) building ow	ner.
Comments THE BENCH MARK USED FO TOP OF FIRE HYDRANT, ELE	R THIS CERTIFICATE IS LOCATED ON T VATION 23.30' MSL (NGVD 29)	HE RECORDED SUB	DIVISION PLAT:	
THE SQUARE FOOTAGE OF THE ELEVATION IN SECTION	THE ENCLOSURE (GARAGE) IN SECTION C2.8 IS FOR THE ENCLOSURE (GARAGE)	N A8,a IS APPROXIM E) FLOOR THERE IS	NTE. LIVING SPACE ABOV	E THE ENCLOSURE (GARAGE).
THE ELEVATION IN SECTION THE SUBDIVISION PLAT REQ Signature	C2.0 IS FOR THE TOP OF PLATFORM F UIRED MINIMUM FINISHED FLOOR ELE	VATION IS 23.00'.	LCONDITIONING UNI	Г.
pe a.	halind.	Date 01/22/08	⊠ ch	eck here if attachments
SECTION E - BUILDING	ELEVATION INFORMATION (SUR)	YEY NOT REQUIRE		
E1. Provide elevation informa grade (HAG) and the low a) Top of bottom floor (inc b) Top of bottom floor (inc	FE), complete Items E1-E5. If the Certific atural grade, if evallable. Check the meas flon for the following and check the approp est adjacent grade (LAG). cluding basement, crawl space, or enclosur cluding basement, crawl epace, or enclosur 8 with permanent flood openings provided in 8	urament used. In Puer riste boxes to show with the boxes to show	to Rico only, entermet ether the elevation is a] feet meters] feet meters	bove or below the highest adjacent above or below the highest adjacent above or below the HAG, above or below the LAG.
(elevation C2b in the diag	grams) of the building is	feet meters [above or Delow t	the HAG.
	lab) is feet [] meter			<u> </u>
E5. Zone AO only: If no flood	ery and/or equipment servicing the building depth number is available, is the top of the No Unknown. The local official mus	bottorn floor elevated	in accordance with the	
	CTION F - PROPERTY OWNER (OR			ICATION
or Zone AO must sign here. Th	authorized representative who completes & to statements in Sections A. B. and E are of Uthorized Representative's Name	City	lanowledge.	ZIP Code
	The state of the s			
Signature	3*0	Date	Telepha	ne .
Comments				
				Check here If attachmen
	SECTION G - COMMUN			
he local official who is authorize nd G of this Elevation Certificate	ed by law or ordinance to administer the cor b. Complete the applicable flem(s) and sign	nmunity's floodplain m i below. Check the m	anagement ordinance o casurement used in Iter	can complete Sections A, B, C (or E), ns G8. and G9,
	ion C was taken from other documentation with elevation information. (Indicate the so			
	impleted Section E for a building located in	•	•	y-issued BFE) of Zone AO.
	on (Items G4G8.) is provided for commun			
G4. Permit Number	G5. Date Permit fasued	G6. C	ate Certificate Of Comp	pliance/Occupancy Issued
7. This permit has been issued	for New Construction	Substantial Improveme	ng	
68. Elevation of es-built lowest fi	oor (including basement) of the building:		🗌 feet 🔲 meters (PR) Datum
i9. BFE or (in Zone AO) depth o	f flooding at the building site:		feet meters (PR) Datum
Local Official's Name	The state of the s	Title	•	The state of the s
Community Name		Telephone		
Signature		Date		
Comments		- w		
	7,000			
T	· ·			

*