DATE WAS ASSESSED. TELES

O.M.B. NO. 3047-0077 Expires May 31, 1996

## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to armine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
Danov R. Robinson and Lisa M. Robin	SOO POLICY NUMBER
REET ADDRESS (Including Apt., Unit, Suite and/or Bidg. Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER
1265 Estates Way Pooler Ga.	
HER DESCRIPTION (Lot and Block Numbers, etc.) & Formerly Lands of Donny Taten & 25/0 + Recombination Plat of Formerly Lands of Donny Taten &	
Pooleic	STATE ZIP GODE
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INF	PRMATION
vide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4 DATE OF FIRM INDEX	FIRM ZONE B. BASE FLOOD ELEVATION (In AO Zones, use depth)
	4E 14.0
ndicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): The For Zones A or V, where no BFE is provided on the FIRM, and the community has establist the community's BFE:	red a BFE for this building site, indicate
SECTION C BUILDING ELEVATION INFORMATI	ON
a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from of I I I I I I I I I I I I I I I I I I	ral member of the reference level from atum-see Section B, Item 7).  gram Is feet above or or or or or
The elevation of the lowest grade immediately adjacent to the building is: 1113.3	feet NGVD (or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	
he community official responsible for verifying building elevations specifies that the reference the "lowest floor" as defined in the community's floodplain management ordinance, floor" as defined by the ordinance is:	the elevation of the building's "lowest

## SECTION E CERTIFICATION

entification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation mation when the elevation information for Zones A1-A30, AE, AH, A (with BFE),V1-V30,VE, and V (with BFE) is required. Immunity officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the chilication. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an ovner's representative may also sign the certification.

elerence level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, aclosure size, location of servicing equipment, area use, wall openings, or unlinished area Feature(s), then list the Feature(s) not cluded in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available, understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

	LICENSE NUMBER (or Affix Seal)  GA R.L.S. No. 2486  COMPANY NAME		
ERTIFIER'S NAME			
ferry M. Coleman			
TILE CONTINUES	FMC Engineering Serv	icos Inc.	
_and, Surveyor	GITY STITE OF THE	S. SINIE	ZIP
Charlton Street	Sayannah	GA	31401
23 East Charlton Street	10/2998	PHONE	• •
SIGNATURE	101490	(912) 232 6533	
Copies should be made of this Certificate for	r: 1) community official, 2) insurance s	zent/company, and 3) building	owner.
Copies should be made of this Definition			
	*		
COMMENTE:			
J :		· · · · · · · · · · · · · · · · · · ·	
			Ľ.
48			
,			
ON	жттн	ON PILES, PIERS, OR COLUMNS	
SLAB_	BASEMENT	2	
	A	ZONES ZONES	
ZONES ZONES	ZONES	ASTERANCE CONTRACTOR	Parameter 1
	- BUIL	TRAKE THE	PERFERENCE
· REPORT TO THE	BASE PLOOD BLEVATION		
	· 🖼 🕂	/ home	my
		19 h	FLOOD SLEVATION
BASE IN PRODUCT	ADJACENT TO LEVEL	11/2 L	311
BLEVATION REFERENCE ADJACENT		OHO II	V
1.18.	SXALKENY.		-
	-		900
			BAAGE
li de la companya de		COLORED DE L'ACTOR DE	

The diagrams above illustrate the points at which the elavations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.