O.M.B. NO. 3067-0077 Expires May 31, 1996

SEE REVERSE SIDE FOR CONTINUATION

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME	POLICY NUMBER		
Southern Family Homes			
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 1281 HOMER CITY WAY	COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and Block Numbers, etc.) LOT 187, Phase VI GARDEN ACRES ESTATES	· · · · · · · · · · · · · · · · · · ·		
CITY Pholen STATE GA.	ZIP CODE		
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION			
Provide the following from the proper FIRM (See Instructions):			
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATÉ OF FIRM INDEX 5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
130030 75 C May 19,1987 AE	14.0		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE f the community's BFE: feet NGVD (or other FIRM datum-see Section B, Item 7).	Other (describe on back) or this building site, indicate		
SECTION C BUILDING ELEVATION INFORMATION			
Describes the subject building's reference level FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the select of Jet feet NGVD (or other FIRM datum—see Section B, Item 7). (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7). (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is below (check one) the highest grade adjacent to the building. (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet a one) the highest grade adjacent to the building. If no flood depth number is available, is the building level) elevated in accordance with the community's floodplain management ordinance? Yes Indicate the elevation datum system used in determining the above reference level elevations: NGN under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is difference firm. Item for the firm fo	of the reference level from ection B, Item 7). level level level from ection B, Item 7). level level from feet above level from feet level from feet than that used on		
Elevation reference mark used appears on FIRM: Yes WNo (See Instructions on Page 4)	*		
The reference level elevation is based on: actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference level ase this certificate will only be valid for the building during the course of construction. A post-construct ill be required once construction is complete.)	floor in place, in which ion Elevation Certificate		
The elevation of the lowest grade immediately adjacent to the building is: 11/1/1.24 feet NGVD (Section B, Item 7).	or other FIRM datum-see		
SECTION D COMMUNITY INFORMATION			
is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of as defined by the ordinance is:	of the building's "lowest		

REPLACES ALL PREVIOUS EDITIONS

FEMA Form 81-31, MAY 93


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Lerry M. Coleman	GA R.L.S. No. 2486			
and Surveyor	EMC Engineering Services, Inc.			
23 East Charlton Street	Savannah	GATATE	31401	
SIGNATURE N.C.	5/10/190	(912)°°232-6533		
Copies should be made of this Certificate	for: 1) community official, 2) insurance a	gent/company, and 3) building	g owner.	
COMMENTS:				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.