ELEVATION CERTIFICATE

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION BUILDING OWNERS NAME Fred Williams Honelulden STREET ADDRESS (Including Apr., Unit, Suite and/or Bidg, Number) OR P.O. ROUTE AND BOX NUMBER 138 CROSS CREEK DIZIVE					FOR INSURANCE COMPANY USE POLICY NUMBER COMPANY NAIC MUMBER							
								Block Numbers, etc.)	c 9/10	PHASE 1B		
							POULER			<	STATE DEDIZCOLA	
***	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION								
Provide the following from t	he proper FIRM (See I	nstructions):										
1. COMMUNITY NUMBER	2. PANEL NUMBER	3, SUFFIX	4. DATE OF FINA INDEX	5. FIRM ZONE	6 BASE PLOOD ELEVATION							
130261	0075	С	September 20, 1995	AE	(in AO Zanes, use depth) 12.0							
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BHE is provided on	the FIRM, an	id the community has est	ablished a BFE to	Other (describe on back) or this building site, indicate							
	SECTIO	NC BUILDI	NG ELEVATION INFORM	IATION	The state of the s							
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The tone) the highest grade	is at an elevation of L BFE). The floor used the highest grade adji- floor used as the refere adjacent to the building rdance with the commi- turn system used in de- te 2). (NOTE: If the el- B, Item 7), then conven-	as the reference level from ag. If no flood unity's floodplatermining the alevation datum	feet NGVD (or other FIR nes level from the selecter uilding. In the selected diagram is depth number is available ain management ordinance above reference level elect tussed in measuring the elect	M datum-see Set diagram is Little feet at the buildings are? Little Yes Little Yes Xing Yes X	cction B, Item 7). J.L. feet above or or below (check is lowest floor (reference No Unknown D '29 Other (describe							
. Elevation reference mark	used appears on FIRI	vi: 🗌 Yes 🛚	No (See Instructions or	Page 4)								
5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons	tion drawings is only va nly be valid for the build struction is complete.)	alid if the build fing during the	ling does not yet have the a course of construction,	reference level i A post-constructi	on Elevation Certificate							
Section B, Item 7).	st grade immediately a	djacent to the	building is: 116	P feet NGVD (or other FIRM datum-see							
	SEC	CTION D CO	MMUNITY INFORMATIO	N								
I. If the community official r is not the "lowest floor" as floor" as defined by the o 2. Date of the start of const	esponsible for verifying s defined in the commu rolnance is:	building elevanity's floodpla	ations specifies that the nain management ordinanc	eference level inc e, the elevation of	& the Buildings House							


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-II the certifier is unable to certify to breakaway/non-breakaway wall. enclosure size, location of servicing equipment, area use, wall openings, or unlinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. Lunderstand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME					
Michael A. Hussey		LICENSE NUMBER (or Alfiz Seal)		_	
TITLE		2509			
Land Surveyor	COMPAN	YNAME			
ADDRESS	Freeman & Vauc	thn Engineering, Inc	T. Inc		
P.Q. Box 15845		7 1110			
SIGNATURE	Savannah,	Georgia	STATE 21	IP	
Marken H.	terre	IO C DATE	DANG.	_	
opies should be made of this Cont	0	10-9-98	(912) 355-0602		
V Stringe of this certi	licate for: 1) community of	ficial, 2) insurance agent	12267 555-3603	-	
Copies should be made of this Certi			ly, and 3) building owner.		
COMMENTS: Section C,	- certification	n is for type of co		_	
		1 is for type of con	astruction		
only.	*1				
		-		_	
		<u> </u>			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.