ELEVATION CERTIFICATE
FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No 3067-0077 Expires May 31, 1993

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

BUILDING OWNER'S NAME		OPERTY INF	OMMATION		FOR INSURANCE COMPANY USE
tred will		POLICY NUMBER			
STREET ADDRESS (Including A	OL, Unit, Sure and/or Blog. AF CIRCLE	Number) OR P.O.	ROUTE AND BOX NUMBER		COMPANY MAIC NUMBER
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)				
LOT 116 HU	INTERS RING	E			
POOLER	3			STATE	ZIP CODE
	SECTION B F	LOOD INSUR	ANCE RATE MAP (FIRM)	TEORGIA	- 10 - 7
Provide the fallowing from (the groper FIRM (See	Inexectional	HATE MAP (FIRM)	INFORMATION	
1. COMMUNITY NUMBER	2. PANEL MIMBER		Y		
130261	1	a. Suffix	4. DATE OF FIRM INDEX SEPTEMBER	5, FIRM ZONE	& BASE FLOOD ELEVATION
	0015		10.1945	AE.	(In AC Zenes, use depth)
indicate the elevation date	tum system used on ti	ne FIRM for Ba		_	
. For Zones A or V, where	no BFE is provided o	n the FIRM, ar	to the community has set	iji EziNGVD 29 shilehad a REE 4-	Other (describe on back or this building site, indicate
the community's BFE:	leet N	GVD (or other	FIRM datum—see Section	H Ham 21	ir was building size, indicate
Using the Elevation Certi describes the subject bu	an.one	AN C BUILD!	ng Elevation inform	ATION	
of 11 8 17 fee b). FIRM 20mes V1-V30.	VE. and V (with REE)		The second of th		
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fit one) the highest grade level) elevated in according to the firm of the elevation date under Comments on Page the FIRM (see Section Bequation under Comment Elevation reference mark. The reference level elevation (NOTE: Lies of construction)	BFE). The floor used the highest grade adjusted as the refere adjacent to the building dance with the community system used in decay. (NOTE: If the eld, Item 7], then convents on Page 2.) used appears on FIRM to it is based on: X a	as the reference accent to the business level from the developed termining the affection datum to the elevations. W.: Yes X actual constructions	the selected diagram is liding. the selected diagram is lidepth number is available, in management ordinance bove reference level elevitused in measuring the elevitused in measuring the elevitused in the datum system use. No (See Instructions on Lidin Construction draw	datum—see Sec diagram is feet abo , is the building's ? Yes N ations: Z NGVD reations is different d on the FIRM at Page 4) vings	ive or below (check lowest floor (reference o Unknown 129 Other (describe of than that used on the show the conversion
(c). FIRM Zone A (without below (c). (check one) (d). FIRM Zone AO. The fl one) the highest grade level) elevated in according to the FIRM (see Section Bequation under Comment Son Page the FIRM (see Section Bequation under Comment Elevation reference level elevation.	BFE). The floor used the highest grade adjusted as the refere adjacent to the building dance with the community system used in details. (NOTE: If the else, Item 7], then convents on Page 2.) used appears on FIRM from is based on: X and appears on or awings is only a large to the system of the system.	as the reference accent to the business level from the developed termining the affection datum to the elevations. If yes actual constructions the bullding during the leveloped the bullding during the bullding the bullding during d	the reserved (or other FIRM) ce level from the selected tilding. The selected diagram is a depth number is available, in management ordinance above reference level elevatived in measuring the elevative of the datum system uses to the datum system uses to the datum system of the datum	datum—see Sec diagram is feet abo , is the building's ? Yes N ations: Z NGVD evations is different d on the FIRM air Page 4) vings eference level flo post-construction	tion B. Item 7). Li_ feet above _ or ove _ or below _ (check lowest floor (reference o _ Unknown '29 _ Other (describe int than that used on ind show the conversion or in place, in which in Elevation Certificate
(c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fit one) the highest grade level) elevated in according to the FIRM (see Section Bequation under Comment Elevation reference mark. The retetence level elevation (NOTE: Use of constructions this certificate will only will be required once constituted in the lowes Section B, Item 7).	BFE). The floor used the highest grade adjusted as the refere adjacent to the building dance with the community system used in details. (NOTE: If the else, Item 7], then convents on Page 2.) used appears on FIRM floor is based on: X and appears on the province of the convents of the co	as the reference accent to the business level from the develope attention of the elevations of the elevations of the business	the selected diagram is liding. The selected diagram is lidepth number is available, in management ordinance bove reference level elevitused in measuring the elevitused in constructions on the datum system uses to the datum system. A course of construction. A coulding is:	datum—see Set diagram is feet about the building's are New matters: \(\begin{align*} \begi	tion B. Item 7). Li feet above or tive or below (check lowest floor (reference to Unknown 29 Other (describe than that used on the show the conversion or in place, in which the Elevation Certificate other FIRM datum-see
c). FIRM Zone A (without below (check one) d). FIRM Zone AO. The fi one) the highest grade level) elevated in according to the FIRM (see Section Bequation under Comment Elevation reference mark The refetence level elevation (NOTE: Use of constructions this certificate will only will be required once constructions.	BFE). The floor used the highest grade adjusted as the refere adjustent to the building dance with the community system used in details. (NOTE: If the else, Item 7], then convents on Page 2) used appears on FIRM floor is based on: X and arwings is only valid for me build truction is complete.) I grade immediately additional in the community defined in the community and	as the reference accent to the business level from any. If no flood is unity's floodplatermining the acceptation datum to the elevations of the building during the building during the building during the building elevation of	the reserved (or other FIRM ce level from the selected iliding. The selected diagram is lidepth number is available in management ordinance bove reference level elevitused in measuring the elevitused in construction of available construction drawing does not yet have the incourse of construction. A course of construction. A course of construction is a course of construction of the course of construction.	datum—see Set diagram is feet about is the building's received in the set about is the building's received on the FIRM aid on the FIRM	tion B. Item 7). Li_ feet above _ or ove _ or below _ (check lowest floor (reference to _ Unknown 129 _ Other (describe not than that used on and show the conversion or in place, in which the Elevation Certificate other FIRM datum-see
c). FIRM Zone A (without below (check one) d). FIRM Zone AO. The fi one) the highest grade level) elevated in according to the elevation datunder Comments on Page the FIRM (see Section Bequation under Comment. Elevation reference mark. The reference level elevation reference will only be required once constructions this certificate will only be required once constituted by the levation of the lowest Section B, Item 7). If the community official resont the Towest floor as loor as defined by the profice of the lowest floor as loor as defined by the profice of the lowest floor as loor as defined by the profice of the lowest floor as loor as defined by the profice of the lowest floor as loor as defined by the profice of the lowest floor as loor.	BFE). The floor used the highest grade adjusted as the refere adjustent to the building dance with the community system used in details. (NOTE: If the else, Item 7], then convents on Page 2) used appears on FIRM floor is based on: X and arwings is only valid for me build truction is complete.) I grade immediately additional in the community defined in the community and	as the reference accent to the business level from any. If no flood of unity's floodplatermining the acceptation datum of the elevations of the building during the building during the building during the building during the building elevationally's floodplain of feer NGI provoment	the reserved (or other FIRM ce level from the selected iliding. The selected diagram is lidepth number is available in management ordinance bove reference level elevitused in measuring the elevitused in construction of available construction drawing does not yet have the incourse of construction. A course of construction. A course of construction is a course of construction of the course of construction.	datum—see Section B. It	tion B. Item 7). Li_ feet above _ or ove _ or below _ (check lowest floor (reference to _ Unknown 129 _ Other (describe not than that used on and show the conversion or in place, in which the Elevation Certificate other FIRM datum-see

x,+


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30. AE, AH, A (with BFE), V1-V30. VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 5. 7 and 8 - Distinguishing Features—If the continer is unable to certify to breakaway/non-breakaway wall. enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C. Item 1, must stijl be entered.

I cartify that the information in Sections 8 and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affite Seal)							
MICHAEL A. HUSSEY	2.509							
LAND SURVEYOR	STEVENSON	AND	PALMER	ENGINEBRING	, Tak.			
P.O. Box 15845	SAVANNAH			GEORGIA	31416			
- Hedral A tress	0ATE -99		-99	(912) 365-9603				
Copies should be made of this Certificate	\							
								
-					***			
				And the second s				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.