## **ELEVATION CERTIFICATE**

O.M.B. No 3067-0077 Expires May 31, 1993

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to ermine the proper insurance priemium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

5 <del>-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-</del>	SECTION A PR	OPERTY INFO	PRMATION		FOR INSURANCE COMPANY USE
ILDING OWNER'S NAME	c 10 11				POLICY NUMBER
CLAIC REET ADDRESS (Including Ap	SMITH at Unit Suite and/or Bldg	Number OF FO	POLITE AND BOY NUMBER		COMPANY NAVO NUMBE
	THE COLUMN TO THE COLUMN TWO IS NOT THE COLU	SHEFT			COMPANY NAIC NUMBER
HER DESCRIPTION (Lot and	Block Numbers, etc.)				
POOLER			C-00	STATE	ZIP CODE
7 0 0	SECTION B FI	OOD INSURA	ANCE RATE MAP (FIRM)		31322
vide the following from the					
1. COMMUNITY NUMBER	2 PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
130030	0080	C	9/3/92	AE	(in AO Zones, use depth)
or Zones A or V, where	no <b>BF</b> E is provided o	n the FIRM, an	ase Flood Elevations (BFE and the community has esta FIRM datum-see Section	ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDII	NG ELEVATION INFORM	IATION	1.
the selected diagram, it is FIRM Zone A (without below (check one)). FIRM Zone AO. The finance one) the highest grade level) elevated in accordicate the elevation datander Comments on Paghe FIRM [see Section Enguation under Comments on Pagha Elevation reference mark	s at am elevation of L BFE). The floor used the hiighest grade ad oor used as the refer adjacent to the build dance with the comm um system used in de e 2). ((NOTE: If the e B, Itemm 7], then converse on IPage 2.) used appears on FIF	The bottom of the bottom of the state of the bottom of the bottom of the bottom of the state of the bottom of the state of the bottom of the state o	of the lowest horizontal strain feet NGVD (or other FIRITICE level from the selected uilding.  In the selected diagram is depth number is available ain management ordinance above reference level element of the datum system used. No (See Instructions or the No (See Instructions or t	M datum-see See didiagram is Light feet at the building's re? Yes NGV devations: NGV devations is differed on the FIRM at Page 4)	or below (check s lowest floor (reference No Unknown D'29 Other (describe rent than that used on
NOTE: Use of construct	ion <b>d</b> rawings is only v ly <b>be</b> walid for the bui	alid if the build	ction construction dra ling does not yet have the e course of construction.	reference level f	
he elevation of the lower Section B, Item 7).	st grade immediately	adjacent to the	building is: \/\_\/\_\/\_\.	团 feet NGVD (	or other FIRM datum-see
	SE	CTION D CO	MMUNITY INFORMATIO	N	
community official respectively community official respectively as defined by the oreast at a construction of the start of construction.	defimed in the comm dinance is:	unity's floodpla	ations specifies that the realin management ordinance GVD (or other FIRM dature	e, the elevation o	

## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

PAUL D. WILDER	GA L.S. #1559				
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
LAND SURVEYOR	WILPER SURVEYING & MAPPING				
TLE	COMPANY NAME				
P.O. BOX 369,	RINCON GEORGIA 31326				
35 20 700	CITY STATE ZIP				
Jan D. Wilde	MAY 2, 1994 912-826-5412				
SIGNATURE	DATE PHONE				

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.