## **ELEVATION CERTIFICATE**

O.M.B. No 3067-0077 Expires May 31, 1993

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to ermine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	TO COST NOMBER			POLICY NUMBER	
Bert Wheel		Numbert OR PO	BOLITE AND BOY NUMBER		COMPANIANAMA
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER  608 South Skinner Ave					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)				
Lot 4 Whee	les Estate				
CITY				STATE	ZIP CODE
Pooler	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	Georgia	
Provide the following from t			THE WAF (FIRM)	INFORMATION	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3, SUFFIX	4. DATE OF FIRM INDEX	5, FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
130261	4		9-30-81	A	none
7. Indicate the elevation dat	um system used on ti	he FIRM for Ba	se Flood Elevations (BFE	92' DVBN kL	Other (describe on back)
8. For Zones A or V, where	no BFE is provided o	n the FIRM, an	d the community has esta	ablished a BFE for	this building site, indicate
the community's BFE:	feet N	GVD (or other	FIRM datum-see Section	n B, Item 7) <sub>.</sub>	
	SECTIO	ON C BUILDII	NG ELEVATION INFORM	IATION	
of \	AE, AH, and A (with BE). INGVD (or other FIR) IE, and V (with BFE). Is at an elevation of BFE). The floor used the highest grade adjacent to the building dance with the commun system used in deal 2). (NOTE: If the end of the convertion of the convertion of the page 2.) Used appears on FIRI	M datum—see Some the bottom of the bottom of the buttom of the buttom in the buttom in the elevation datum of the elevations.  M: Yes	Section B, Item 7).  If the lowest horizontal strate feet NGVD (or other FIRICE level from the selected fillding.  The selected diagram is depth number is available in management ordinance bove reference level elevated in measuring the elected for the datum system used.  No (See Instructions on	uctural member of M datum—see Sec I diagram is	tion B, Item 7).  3 _ Geet above 🗓 or  or below [ (check lowest floor (reference o _ Unknown
(NOTE: Use of construction case this certificate will only will be required once const.	on drawings is only va y be valid for the build ruction is complete.)	alid if the buildid ding during the	ng does not yet have the course of construction. A	reference level flo A post-construction	n Elevation Certificate
The elevation of the lowest Section B, Item 7).	t grade immediately a	idjacent to the	building is:	feet NGVD (or	other FIRM datum-see
	SEC	CTION D COM	MUNITY INFORMATION	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
"the community official resonant the "lowest floor" as defined by the ord	defined in the commu inance is: LLLLL	ınity's floodplaiı	n management ordinance	, the elevation of t	the building's "lowest

## SECTION E CERTIFICATION


is certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation irmation when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required.

Jummunity officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affi	ix Seal)	
Vincent Helmly	1882		
TITLE	COMPANY NAME		
Land Surveyor	Helmly Surveyors		
ADDRESS	CITY	SŢATE	ZIP
119 Burton Road	Savannah	Georgia	31405
SIGNATURE) wies Held	DATE 19/9/97	PHONE (912) 925-1362	
Copies should be made of this Certificate for:	1) community official, 2) insurance agent/	/company, and 3) building o	wner.
COMMENTS:			
)			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.