" U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

| | | SEC. | TION A | - PROPERTY IN | IFORMAT | TION | | URANCE COMPANY USE | |
|---|--|--|---|--|---|--|---|---|--|
| A1. Building Owner's Name GREEN CHOICE CUSTOM HOMES | | | | | | | Policy Nu | imber: | |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 6 GRAND VIEW COURT | | | | | | | Company | / NAIC Number: | |
| City POOLER | | | | State GA | ZIP Code 31322 | | | | |
| A3. Property Description (LOT 518, GODLEY S | Lot and Block Nu TATION WEST, F | mbers, Tax Parcel I FOREST LAKES, P | Number, HASE 1 | Legal Description, | etc.) | 37S, PAGE 11) | | | |
| A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL | | | | | | | | | |
| | A5. Latitude/Longitude: Lat. 32.1407°N Long. 081.2675°W Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. | | | | | | | | |
| A7. Building Diagram Num | nber <u>*3</u> | | | | | | | | |
| A8. For a building with a c a) Square footage of | • | ` ' | N/A | A9. sq ft | | lding with an atta re footage of atta | | • | |
| b) Number of perman | ent flood opening | s in the crawlspace | | ડવ હ | | | | ge <u>840</u> sq ft nings in the attached garage | |
| or enclosure(s) wit | | | 0 | | withir | n 1.0 foot above a | adjacent gr | rade <u>*10</u> | |
| c) Total net area of fle d) Engineered flood of | | No.D ∐Yes ⊠ No | Q | sq in | d) Engir | net area of flood neered flood ope | openings ninas? | in A9.b <u>980</u> sq in ☐ Yes ⊠ No | |
| d) Engineered flood openings? ☐ Yes ☒ No d) Engineered flood openings? ☐ Yes ☒ No SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION | | | | | | | | | |
| B1. NFIP Community Name | | lumber | | ounty Name | | | B3. State | | |
| | 130261 | | UF. | MAHTAM | | | GA | | |
| B4. Map/Panel Number 13051C0019 | B5. Suffix | B6. FIRM Index I 8/05/2013 | Date | B7. FIRM Pan Effective/Revised 8/05/2013 | el Date | B8. Flood Zone(s) AE | | ase Flood Elevation(s) (Zone O, use base flood depth) | |
| | | | or base | | d in Hom B | | | *19'+1' FREEBOARD | |
| B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. ☐ FIS Profile 	☐ FIRM ☐ Community Determined ☐ Other/Source: | | | | | | | | | |
| B11. Indicate elevation datu | | - | | | |] Other/Source: | | | |
| 312. Is the building located | | | | | | | | ☐ Yes | |
| Designation Date: | _ | | | CBRS 🗆 O | PA | | | _ | |
| | SECTIO | N C – BUILDING | ELEVA | ATION INFORMA | TION (SU | IRVEY REQUI | RED) | | |
| C1. Building elevations are based on: Construction Drawings* Building Under Construction* Similar Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. | | | | | | | | | |
| C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. | | | | | | | | | |
| below according to the I | building diagram s | with BFE), VE, V1– specified in Item A7 | ·V30, V (′. In Pue | (with BFE), AR, AR/ erto Rico only, enter | A, AR/AE, meters. | | AN, ARVA | J. Complete items Cz.a-n | |
| below according to the I Benchmark Utilized: <u>LO</u> | building diagram : <u>CAL</u> | specified in Item A7 | '. In Pue Verti | erto Rico only, enter tical Datum: <u>NAVD</u> | meters. 88 | | | | |
| below according to the I Benchmark Utilized: <u>LO</u> Indicate elevation datun | building diagram : <u>CAL</u> n used for the ele | specified in Item A7 | '. In Pue Verti through | erto Rico only, enter tical Datum: <u>NAVD</u> h) below. □ NGVD | meters. 88 | | | | |
| below according to the l Benchmark Utilized: <u>LO</u> Indicate elevation datun Datum used for building | building diagram s <u>CAL</u> n used for the ele n elevations must | specified in Item A7 vations in items a) t be the same as tha | '. In Pue Verti through it used fo | erto Rico only, enter tical Datum: NAVD h) below. D NGVD for the BFE. | meters. 88 | NAVD 1988 🗆 C | Other/Source | | |
| below according to the I Benchmark Utilized: <u>LO</u> Indicate elevation datun Datum used for building a) Top of bottom floor (ii | building diagram s <u>CAL</u> n used for the ele elevations must | specified in Item A7 vations in items a) t be the same as tha | '. In Pue Verti through it used fo | erto Rico only, enter tical Datum: NAVD h) below. D NGVD for the BFE. | meters. 88 1929 ☑ 1 *18.3 | NAVD 1988 🗆 C | Other/Source the meas | ce:surement used. | |
| below according to the I Benchmark Utilized: LO Indicate elevation datun Datum used for building a) Top of bottom floor (ii b) Top of the next highe | building diagram s <u>CAL</u> n used for the ele elevations must ncluding basemer r floor | specified in Item A7 vations in items a) t be the same as tha nt, crawlspace, or e | 7. In Pue Verti through it used for | erto Rico only, enter tical Datum: NAVD NGVD or the BFE. | meters. 88 1929 ⊠ I *18.3 *21.6 | NAVD 1988 🗆 C | Other/Source It the meas It feet It feet | ce:surement used. meters meters | |
| below according to the I Benchmark Utilized: <u>LO</u> Indicate elevation datum Datum used for building a) Top of bottom floor (ii | building diagram s CAL n used for the ele elevations must ncluding basemer r floor horizontal structu | specified in Item A7 vations in items a) t be the same as tha nt, crawlspace, or e | 7. In Pue Verti through it used for | erto Rico only, enter tical Datum: NAVD NGVD or the BFE. | meters. 88 1929 ⊠ I *18.3 *21.6 N/A. | NAVD 1988 🗆 C | Other/Source It the meas If feet If feet If feet | ce: surement used. meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m | building diagrams CAL used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equip | vations in items a) to be the same as tha nt, crawlspace, or e ral member (V Zone pment servicing the | 7. In Pue Verti through it used for enclosure | erto Rico only, enter tical Datum: NAVD h) below. □ NGVD or the BFE. | meters. 88 1929 ⊠ I *18.3 *21.6 | NAVD 1988 🗆 C | Other/Source It the meas It feet It feet | ce:surement used. meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ | building diagrams CAL used for the elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati | vations in Item A7 vations in items a) to be the same as tha nt, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) | 7. In Pue Verti through it used for enclosure | erto Rico only, enter tical Datum: NAVD h) below. □ NGVD or the BFE. | *18.3 *21.6 N/A. *21.6 | NAVD 1988 🗆 C | Other/Source It the meas If feet If feet If feet If feet If feet If feet | ce: surement used. meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis | building diagram s CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equir ipment and locati shed) grade next s | vations in items a) to be the same as tha nt, crawlspace, or e ral member (V Zono pment servicing the ion in Comments) to building (LAG) | 7. In Pue Verti through it used for enclosure | erto Rico only, enter tical Datum: NAVD h) below. □ NGVD or the BFE. | *18.3 *21.6 N/A. 17.3 | NAVD 1988 🗆 C | Other/Source It the meas If feet If feet | ce: surement used. meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ | building diagrams CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locatished) grade next- shed) grade next- | vations in Item A7 vations in items a) to be the same as tha nt, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) | 7. In Pue Verti through It used for enclosure es only) | erto Rico only, enter tical Datum: NAVD. h) below. □ NGVD or the BFE. e floor) | *18.3 *21.6 N/A. 19.3 *21.6 | NAVD 1988 🗆 C | Other/Source It the meas If feet If feet If feet If feet If feet If feet | ce: surement used. meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis | building diagrams CAL n used for the eler elevations must ncluding basemer r floor horizontal structur of slab) nachinery or equipipment and location shed) grade next to shed) grade next eat lowest elevation | vations in Item A7 vations in items a) to be the same as tha nt, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) tion of deck or stain | 7. In Pue Verti through it used for inclosure es only) building | erto Rico only, enter tical Datum: NAVD. h) below. □ NGVD or the BFE. e floor) | *18.3 *21.6 N/A *21.6 17.3 18.1 | NAVD 1988 | other/Source to the meas feet feet feet feet feet feet feet fe | ce: curement used. meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent grad This certification is to be sig information. I certify that the | building diagrams CAL n used for the eler elevations must ncluding basemer r floor horizontal structur of slab) nachinery or equipipment and location shed) grade next is shed) grade n | vations in items a) to be the same as that the same as that the same as that the care into the same as that the care into the same as that the care into the | Vertithrough it used for inclosure es only) building s, includ DR, ENG enginee sents m | erto Rico only, enter tical Datum: NAVD h) below. NGVD or the BFE. e floor) GINEER, OR ARC or, or architect authory best efforts to inter | *18.3 *21.6 N/A. 18.3 *21.6 17.3 18.1 ort N/A. CHITECT | CERTIFICATION to certify elevated available. | other/Source the meas feet feet feet feet feet feet feet fe | ce: curement used. meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent grad This certification is to be sig information. I certify that the I understand that any false is | building diagram s CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati shed) grade next is shed) grade next e at lowest elevat SECTIO ned and sealed to information on the statement may be | vations in items a) to be the same as that int, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) tion of deck or stain in Comments (N D - SURVEYOR) a land surveyor, this Certificate represe punishable by fine | Vertithrough it used for inclosure es only) building s, includenginee is ents me or impressents me or | erto Rico only, enter tical Datum: NAVD. h) below. NGVD or the BFE. e floor) GINEER, OR ARC or, or architect authory best efforts to interisonment under 18 | *18.3 *21.6 N/A. 18.3 *21.6 N/A. 18.3 *21.6 17.3 18.1 N/A. CHITECT rized by law repret the de U.S. Code, | CERTIFICATION to certify elevariata available. | other/Source k the meas feet feet feet feet feet feet feet fe | ce: surement used. meters meters meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent grad This certification is to be sig information. I certify that the | building diagram s CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati shed) grade next e at lowest elevat SECTIO ned and sealed to information on the statement may be ts are provided on | vations in items a) to be the same as that int, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) tion of deck or stain in Comments (N D - SURVEYOR) a land surveyor, this Certificate represe punishable by fine | Vertithrough it used for inclosure es only) building s, includenginees sents me or improvere to the vertical sents of the vertical sent sent sent sent sent sent sent sent | erto Rico only, enter tical Datum: NAVD h) below. NGVD or the BFE. e floor) GINEER, OR ARC or, or architect authory best efforts to inter | *18.3 *21.6 N/A. 18.3 *21.6 N/A. 18.3 *21.6 17.3 18.1 N/A. CHITECT rized by law repret the de U.S. Code, | CERTIFICATION to certify elevariata available. | other/Source k the meas feet feet feet feet feet feet feet fe | ce: curement used. meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false is Check here if comment Check here if attachmed | calliding diagrams CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati shed) grade next e at lowest elevat SECTIO ned and sealed be information on the statement may be ts are provided or ents. Hale, Jr. | vations in items a) to be the same as that int, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) tion of deck or stain in Comments (N D - SURVEYOR) a land surveyor, this Certificate represe punishable by fine | Vertithrough it used for inclosure es only) building s, includenginees sents me or improvere to the vertical sents of the vertical sent sent sent sent sent sent sent sent | erto Rico only, enter tical Datum: NAVD. h) below. NGVD or the BFE. e floor) GINEER, OR ARC er, or architect authory best efforts to interisonment under 18 latitude and longituded land surveyor? | *18.3 *21.6 N/A 18.3 *21.6 N/A 18.3 *21.6 17.3 18.1 N/A CHITECT rized by law repret the di U.S. Code, e in Sectio | CERTIFICATION to certify elevariata available. | other/Source k the meas feet feet feet feet feet feet feet fe | ce: surement used. meters meters meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false Check here if commen | calliding diagrams CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati shed) grade next e at lowest elevat SECTIO ned and sealed be information on the statement may be ts are provided or ents. Hale, Jr. | vations in items a) to be the same as that int, crawlspace, or e ral member (V Zone pment servicing the ion in Comments) to building (LAG) to building (HAG) tion of deck or stain in Comments (N D - SURVEYOR) a land surveyor, this Certificate represe punishable by fine | Vertithrough it used for inclosure es only) building s, includ or, ENC enginee sents me or improvere i license | erto Rico only, enter tical Datum: NAVD. h) below. NGVD or the BFE. e floor) GINEER, OR ARC or, or architect authory best efforts to interisonment under 18 latitude and longituded land surveyor? License N | *18.3 *21.6 N/A 18.3 *21.6 N/A 18.3 *21.6 17.3 18.1 N/A CHITECT rized by law repret the di U.S. Code, e in Sectio | CERTIFICATION to certify elevate available. Section 1001. A provided by the control of the certify elevate at a available. No | other/Source k the meas feet feet feet feet feet feet feet fe | ce: curement used. meters meters meters meters meters meters meters meters meters meters | |
| below according to the I Benchmark Utilized: LO Indicate elevation datum Datum used for building a) Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equ f) Lowest adjacent (finis g) Highest adjacent (finis h) Lowest adjacent grad This certification is to be sig information. I certify that the I understand that any false is Check here if comment Check here if attachmed | calliding diagrams CAL n used for the ele- elevations must ncluding basemer r floor horizontal structu of slab) nachinery or equipipment and locati shed) grade next e at lowest elevat SECTIO ned and sealed be information on the statement may be ts are provided or ents. Hale, Jr. | vations in Item A7 vations in items a) to be the same as that the same as that the same as that the same as the sa | Vertithrough it used for inclosure es only) building s, includ or, ENC enginee sents me or improvere i license | erto Rico only, enter tical Datum: NAVD h) below. NGVE or the BFE. e floor) GINEER, OR ARC or, or architect author best efforts to interisonment under 18 latitude and longituded land surveyor? License N Company, LLC State GA | *18.3 *21.6 N/A 18.3 *21.6 N/A 18.3 *21.6 U.S. Code, e in Sectio | CERTIFICATION to certify elevariata available. Section 1001. In A provided by Provided Balance | other/Source k the meas feet feet feet feet feet feet feet fe | ce: surement used. meters meters meters meters meters meters meters meters meters meters | |

ELEVATION CERTIFICATE, page 2

| IMPORTANT: In these spaces, | copy the corresponding information fro | m Section A. | FOR INSURANCE COMPANY USE |
|---|---|--|--|
| Building Street Address (including Ap) GRAND VIEW COURT | ot., Unit, Suite, and/or Bldg. No.) or P.O. Route a | ind Box No. | Policy Number: |
| City POOLER | State GA | ZIP Code 31322 | Company NAIC Number: |
| SECTIO | N D – SURVEYOR, ENGINEER, OR ARCI | HITECT CERTIFICATION | (CONTINUED) |
| Copy both sides of this Elevation Cer | rtificate for (1) community official, (2) insurance a | agent/company, and (3) buildin | g owner. |
| SECTION A7: BUILDING TYPE IS B SECTION A9.b: THE INTERIOR GR. THERE ARE 6 LOU' SECTION B9: BASE FLOOD ELEVA ADMINISTRATOR. THE SECTION C2: THE BENCH MARK L SHOWN ARE REFEF SECTION C2.a: THE ELEVATION IS SECTION C2.b: THE ELEVATION IS | MINATION BY USE OF HANDHELD GPS RECI ACK-FILLED STEM WALL FOUNDATION. NO ADE ELEVATION OF THE GARAGE IS USED I VRE VENTS LOCATED IN THE GARAGE DOO ATION DETERMINED ACCORDING TO THE PF E 1'(ONE FOOT) FREEBOARD IS A PROVISION ISED FOR THIS CERTIFICATE WAS ESTABLE RENCED TO NAVD 88. IS FOR THE TOP OF THE GARAGE SLAB. THE IS FOR THE TOP OF THE FIRST FINISHED FLO IS FOR THE TOP OF THE PLATFORM FOR THI | CRAWLSPACE. FOR THE ADJACENT GRADE RS, AND 4 FLOOD OPENING ROCEDURE OF THE COMMU N OF THE COMMUNITY FLOO SHED USING "EGPS" GPS B. RE IS LIVING SPACE ABOVE DOR OF HEATED LIVING SPA | S LOCATED IN THE GARAGE WALLS. NITY FLOODPLAIN ORDINANCE DD DAMAGE PREVENTION ORDINANCE. ASE STATION NETWORK, ELEVATIONS THE GARAGE. |
| Signature / | O Da | | |
| SECTION E - BUILDING EL | EVATION INFORMATION (SURVEY NOT | | AO AND ZONE A (WITHOUT BFE) |
| | | | |
| | complete Items E1-E5. If the Certificate is inten I grade, if available. Check the measurement us | | |
| grade (HAG) and the lowest ac a) Top of bottom floor (includin b) Top of bottom floor (includin E2. For Building Diagrams 6–9 with | g basement, crawlspace, or enclosure) is g basement, crawlspace, or enclosure) is h permanent flood openings provided in Section | feet meter Meter | s above or below the HAG. s above or below the LAG. s —9 of Instructions), the next higher floor |
| (elevation C2.b in the diagrams | | meters above or below the HAG | w the HAG. |
| E3. Attached garage (top of slab) is E4. Top of platform of machinery a | and/or equipment servicing the building is | |] above or □ below the HAG. |
| E5. Zone AO only: If no flood dept | th number is available, is the top of the bottom fl | oor elevated in accordance wit | |
| | Unknown. The local official must certify this | | |
| SECTIO | N F - PROPERTY OWNER (OR OWNER' | S REPRESENTATIVE) CE | RTIFICATION |
| or Zone AO must sign here. The stat | orized representative who completes Sections A, ements in Sections A, B, and E are correct to the | | a FEMA-issued or community-issued BFE) |
| Property Owner's or Owner's Author | | | |
| Address | City | Sta | |
| Signature | Date | Те | ephone |
| Comments | | | |
| | | | Check here if attachment |
| | SECTION G - COMMUNITY INFO | RMATION (OPTIONAL) | |
| | aw or ordinance to administer the community's flo he applicable item(s) and sign below. Check the r | | |
| 1. The information in Section C | C was taken from other documentation that has by elevation information. (Indicate the source and | peen signed and sealed by a li | censed surveyor, engineer, or architect who |
| 2. A community official comple | ted Section E for a building located in Zone A (v | vithout a FEMA-issued or com | munity-issued BFE) or Zone AO. |
| 3. The following information (It | ems G4–G10) is provided for community floodpl | ain management purposes. | |
| G4. Permit Number | G5. Date Permit Issued | G6. Date Certificate Of | Compliance/Occupancy Issued |
| 7. This permit has been issued for: | ☐ New Construction ☐ Substantial | Improvement | |
| | (including basement) of the building: | feet meters | Datum |
| 9. BFE or (in Zone AO) depth of flo | | feet meters | Datum |
| 10. Community's design flood elevat | ion: | feet meters | Datum |
| Local Official's Name | | Title | |
| Community Name | | Telephone | |

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 6 GRAND VIEW COURT

Policy Number:

City POOLER

State GA ZIP Code 31322 Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRONT VIEW 9/04/2013



REAR VIEW 9/04/2013



LEFT SIDE VIEW 9/04/2013



RIGHT SIDE VIEW 9/04/2013

