O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to a stermine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

()————————————————————————————————————	SECTION A DEODEDTY INCO	DMATION		
SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER			
STREET ADDRESS (Including Ap	COMPANY NAIC NUMBER			
#6 415,	THE STATE OF THE S	TO TE AND BOX HOMBER		COMI AIT IVAIO NOMBER
OTHER DESCRIPTION (Lot and 6	Block Numbers, etc.)	GARDEN	ACRES	s 5/D
POOLER		O	STATE	ZIP CODE 3/322
	SECTION B FLOOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from the	he proper FIRM (See Instructions):	5 8		P * 9
1. COMMUNITY NUMBER	2. PANEL NUMBER 3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
130030	0020 C	May 19, 1987	AE	(in AO Zones, use depth)
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).				
SECTION C BUILDING ELEVATION INFORMATION				
 (b). FiRM Zones V1-V30, Yethe selected diagram, it is selected diagram. (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fit one) the highest grade level) elevated in accordance level) elevated in accordance diagram. 3. Indicate the elevation dat under Comments on Page the FIRM [see Section Elevation under Comments. 	It NGVD (or other FIRM datum—see VE, and V (with BFE). The bottom of sat an elevation of BFE). The floor used as the referent the highest grade adjacent to the bottom used as the reference level from adjacent to the building. If no flood redance with the community's floodplatum system used in determining the see 2). (NOTE: If the elevation datum is on Page 2.)	of the lowest horizontal structure in the selected diagram is the selected diagram is depth number is available ain management ordinance above reference level elevel as to the datum system used in measuring the elevel so to the datum system used in measuring the elevel eleve	M datum-see Set diagram is feet at e., is the building e? Yes vations: \overline{\omega} NGV evations is differed on the FIRM of the second in the FIRM of the second in	cction B, Item 7). I feet above or ove or below (check is lowest floor (reference) No Unknown To '29 Other (describe) tent than that used on
5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons	tion is based on: 🔀 actual construction drawings is only valid if the build the build by be valid for the building during the	ction construction dra ling does not yet have the e course of construction.	wings reference level t A post-constructi	ion Elevation Certificate
Section B, Item 7).		ounding is. C. T. T. P	E IEEL NGVD (or other Firmw datum-see
	SECTION D CO	MMUNITY INFORMATION	N	
is not the "lowest floor" as floor" as defined by the or	esponsible for verifying building eleved defined in the community's floodplationance is: Land Land feet Nucleon or substantial improvement	tin management ordinance GVD (or other FIRM datur	e, the elevation o	of the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

PAUL D. WIL	DER GA. L.S. 7	1559			
CERTIFIER'S NAME	LICENSE NUMBER (LICENSE NUMBER (or Affix Seal)			
LAND SURVEY	OR WILDER SU	EVEYING & MAPPING			
TITLE	COMPANY NAME	/			
P.O. BOX 369	RINCON	GA. 31326			
ADDRESS Paul D. Wille	CITY 3/6/97	STATE ZIP 912-826-5412			
SIGNATURE	DATE	PHONE			
COMMENTS	n vie				
COMMENTS:					



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.