MAYOR
Karen L. Williams
CITY MANAGER
Heath Lloyd
CITY ATTORNEY

Craig Call



CITY COUNCIL
Wesley Bashlor
Michael Carpenter
Aaron C. Higgins
Thomas Hutcherson
M. Shannon Valim
John M. Wilcher

Memo of Review for Correctness and Completion

The attached FEMA Elevation Certificate has been reviewed by this office.

The items noted below are not correct on the attached form and should read as entered on this page.

- Building Address must be entered
- You must clearly show what corrections are made
- Signature and date must be on form.

SECTION A - PROPERTY INFORMATION
A1. Building Owner's Name:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:
167 Champlain Drive
City: Pooler State: GA ZIP Code: 31322
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Number:
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.):
A5. Latitude/Longitude: Lat. 32.147167 Long81.274464 Horizontal Datum: NAD 1927 NAD 1983 WGS 84
A6. Attach at least two and when possible four clear photographs (one for each side) of the building (see Form pages 7 and 8).
A7. Building Diagram Number:
A8. For a building with a crawlspace or enclosure(s):
a) Square footage of crawlspace or enclosure(s):sq. ft.
b) Is there at least one permanent flood opening on two different sides of each enclosed area? 🔲 Yes 🔲 No 🔲 N/A
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade: Non-engineered flood openings: Engineered flood openings:
d) Total net open area of non-engineered flood openings in A8.c:sq. in.
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions):
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): sq. ft.
A9. For a building with an attached garage:
a) Square footage of attached garage:sq. ft.
b) Is there at least one permanent flood opening on two different sides of the attached garage? Yes No N/A
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade: Non-engineered flood openings: Engineered flood openings:
d) Total net open area of non-engineered flood openings in A9.c:sq. in.
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructions): sq. ft.
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft.

SECTION B	- FLOOD INSURANCE	RATE MAP (FIRM) INFORMATION	
B1.a. NFIP Community Name:		B1.b. NFIP Community Identification Number	
B2. County Name:		B4. Map/Panel No.:	
B6. FIRM Index Date:		ve/Revised Date:	
B8. Flood Zone(s):	B9. Base Flood Elevation	on(s) (BFE) (Zone AO, use Base Flood Depth):	
B10. Indicate the source of the BFE data or ☐ FIS ☐ FIRM ☐ Community Det	•	n Item B9:	
B11. Indicate elevation datum used for BFE	in Item B9: NGVD 1929	9 🔲 NAVD 1988 🔲 Other/Source:	
B12. Is the building located in a Coastal Bar Designation Date:	rier Resources System (CB	RS) area or Otherwise Protected Area (OPA)	? Yes No
B13. Is the building located seaward of the l	imit of Moderate Wave Acti	on (LiMWA)?	
SECTION C - E	BUILDING ELEVATION I	NFORMATION (SURVEY REQUIRED)	
C1. Building elevations are based on: *A new Elevation Certificate will be requ		Building Under Construction*	d Construction
Local Official's Name: Nicole Johnson, AICP,	CFM	Title: Director of Planning & Development	
Community Name: City of Pooler		Telephone: 912-748-7261, ext 306	
Signature		Date: 10/2/2024	
Comments:			
A5 has been corrected to be in the correct for A8 has been corrected	mat and correct numbers.		

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
A1. Building Owner's Name: Landmark 24 Homes	Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.: 167 Champlain Drive	Company NAIC Number:
City: Pooler State: Georgia	ZIP Code: 31322
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nur Lot 1018, Forest Lakes, Phase 10, 8th G.M. District, City of Pooler, Chatham Count	nber: .y, Georgia, PIN: 51014C12016
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): Residential	
A5. Latitude/Longitude: Lat. 32.14571 Long81.27778 Horizontal Datum:	IAD 1927 X NAD 1983 WGS 84
A6. Attach at least two and when possible four clear photographs (one for each side) of the building	g (see Form pages 7 and 8).
A7. Building Diagram Number: 1B	
A8. For a building with a crawlspace or enclosure(s):	
a) Square footage of crawlspace or enclosure(s): N/A sq. ft.	
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	Yes No 🛛 N/A
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings: N/A Engineered flood openings: N/A	above adjacent grade:
d) Total net open area of non-engineered flood openings in A8.c: N/A sq. in.	
e) Total rated area of engineered flood openings in A8.c (attach documentation see instruction	ons): N/A sq. ft.
f) Surn of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.	
A9. For a building with an attached garage:	
a) Square footage of attached garage: 396 sq. ft.	
b) is there at least one permanent flood opening on two different sides of the attached garage?	Y 🗌 Yes 🗌 No 🔯 N/A
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjution Non-engineered flood openings: Engineered flood openings: 3	acent grade:
d) Total net open area of non-engineered flood openings in A9.c: 17 sq. in.	
e) Total rated area of engineered flood openings in A9.c (attach documentation - see Instruction	ons): 660 sq. ft.
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): 677 sq. ft.	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFO	RMATION
B1.a. NFIP Community Name: City of Pooler B1.b. NFIP Community Ide	ntification Number: 130261
B2. County Name: Chatham County B3. State: GA B4. Map/Panel No.:	
B6. FIRM Index Date: 08/16/2018 B7. FIRM Panel Effective/Revised Date: 08/16/	2018
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use	
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: FIS FIRM Community Determined Other:	
B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other	/Source:
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Prot Designation Date: CBRS OPA	ected Area (OPA)? 🗌 Yes 🔀 No
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? Yes	No

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Bo	x No.:	FOR INSURANCE COMPANY USE
City: Pooler State: Georgia ZIP Code: 3132	Policy Number: Company NAIC Number:	
SECTION C - BUILDING ELEVATION INFORMATION	(SURVEY F	REQUIRED)
C1. Building elevations are based on: Construction Drawings* Building Unc *A new Elevation Certificate will be required when construction of the building is co	der Construction	
C2. Elevations – Zones A1-A30, AE, AH, AO, A (with BFE), VE, V1-V30, V (with BFE A99. Complete Items C2.a-h below according to the Building Diagram specified in Benchmark Utilized: Local Vertical Datum: N.	I ICEM A7. IN P	NR/AE, AR/A1-A30, AR/AH, AR/AO, uerto Rico only, enter meters.
Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 X NAVD 1988 Other:		
Datum used for building elevations must be the same as that used for the BFE. Convertifyes, describe the source of the conversion factor in the Section D Comments area.		Check the measurement used
 Top of bottom floor (including basement, crawispace, or enclosure floor): 	21.0	X feet meters
b) Top of the next higher floor (see Instructions):	N/A	feet meters
 c) Bottom of the lowest horizontal structural member (see Instructions): 	N/A	feet meters
d) Attached garage (top of slab):	19.0	X feet meters
 e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area): 	21.0	
f) Lowest Adjacent Grade (LAG) next to building: Natural 💢 Finished	18.8	feet meters
g) Highest Adjacent Grade (HAG) next to building: Natural Finished	18.9	X feet meters
 h) Finished LAG at lowest elevation of attached deck or stairs, including structura support: 	N/A	feet meters
SECTION D - SURVEYOR, ENGINEER, OR ARCHIT	TECT CERTI	FICATION
This certification is to be signed and sealed by a land surveyor, engineer, or architect a information. I certify that the information on this Certificate represents my best efforts to false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section.	o interpret the on 1001.	state law to certify elevation data available. I understand that any
Were latitude and longitude in Section A provided by a licensed land surveyor?	es [] No	
Check here if attachments and describe in the Comments area.	7	
Certifier's Name: License Number		- EORG
Title: Professional Land Surveyor		- GEGISTER P
Company Name: Coleman Company, Inc.		- (* Ng 0034) *
Address: 1480 Chatham Parkway, Spite 100	21.405	- 18
City: Savannah State: GA ZIP Code:		- SURVEY
	1-28-2024	
Telephone: 912-200-304 Ext.: Email: DTAYLOR@CCI-SAV.C		Place Seal Haffe
Copy all pages of this Elevation Certificate and all attachments for (1) community official,	(2) insurance a	igent/company, and (3) building owner.
Comments (including source of conversion factor in C2; type of equipment and location (1) Plat Root 52, Page 745	n per C2.e; an	id description of any attachments):
A3: Plat Book 53, Page 745. A9: Garage vented by (1) one non-engineered and (3) three engineered vents. Flood Flaps, LLC. Model# FFN B9: A 1'(one foot) free board is required by the City of Pooler Flood Darnage Prevention Ordinance. C2: Benchmark utilized was established using "EGPS" GPS base station network. Elevations shown are refered.		
C2a: Elevation is top of finished floor for fiving space. C2a: Lowest elevation of machinery servicing the building is the top of the HVAC compressor platform		

167 Champlain Drive City: Pooler State: Georgia ZIP Code: 31322 Company NAIC Number:
SECTION E - BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE)
For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters.
Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete.
E1. Provide measurements (C.2.a in applicable Building Diagram) for the following and check the appropriate boxes to show whether the measurement is above or below the natural HAG and the LAG.
a) Top of bottom floor (including basement, crawfspace, or enclosure) is:
b) Top of bottom floor (including basement, crawlspace, or enclosure) is:
E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (C2.b in applicable Building Diagram) of the building is: Get meters above or below the HAG.
E3. Attached garage (top of slab) is:
E4. Top of platform of machinery and/or equipment servicing the building is: feet meters above or below the HAG.
E5. Zone AO only: If no flood depth number is available, Is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown The local official must certify this information in Section G
SECTION F - PROPERTY OWNER (OR OWNER'S AUTHORIZED REPRESENTATIVE) CERTIFICATION
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge
Check here if attachments and describe in the Comments area.
Property Owner or Owner's Authorized Representative Name:
Address:
City: State: ZIP Code:
Signature: Date:
Telephone: Ext.: Email:
Comments:
Sa -

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.;	FOR INSURANCE COMPANY USE
167 Champlain Drive	Policy Number:
City: Pooler State: Georgia ZIP Code: 31322	Company NAIC Number:
SECTION G - COMMUNITY INFORMATION (RECOMMENDED FOR COMM	UNITY OFFICIAL COMPLETION)
The local official who is authorized by law or ordinance to administer the community's floodplain Section A, B, C, E, G, or H of this Elevation Certificate. Complete the applicable Item(s) and significant of the Information in Section C was taken from other documentation that has been significant, or architect who is authorized by state law to certify elevation information.	gn below when: gned and sealed by a licensed surveyor,
elevation data in the Comments area below.) G2.a. A local official completed Section E for a building located in Zone A (without a BFE	
E5 is completed for a building located in Zone AO.	, 2016 AC, OI ZOIIS AIVAC, OF WINSI IIOIII
G2.b. A local official completed Section H for insurance purposes.	
G3. In the Comments area of Section G, the local official describes specific corrections	to the information in Sections A, B, E and H.
G4.	nagement purposes.
G5. Permit Number: G6. Date Permit Issued:	
G7. Date Certificate of Compliance/Occupancy Issued:	
G8. This permit has been issued for: Wew Construction Substantial Improvement	
G9.a. Elevation of as-built lowest floor (including basement) of the building:	et meters Datum:
G9.b. Elevation of bottom of as-built lowest horizontal structural member:	at meters Datum:
G10.a. BFE (or depth in Zone AO) of flooding at the building site:	et meters Datum:
G10.b. Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member:	at ☐ meters Datum:
G11. Variance issued? Yes No If yes, attach documentation and describe in the	_
The local official who provides information in Section G must sign here. I have completed the incorrect to the best of my knowledge. If applicable, I have also provided specific corrections in the	ne Comments area of this section.
	ing administrator
	er-ga. gov
100 00 11 11 00	er gar gov
	61 21277
city: Pouler, ga State:	5C ZIP Code: 3/322
Signature: Kibyy Oyer Date: 571	6/24
Comments (including type of equipment and location, per C2.e; description of any ettachments Sections A, B, D, E, or H):	and corrections to specific information in

Building Street Address (including 167 Champlain Drive	g Apt., Unit, Suite,	, and/or Bidg. No.) or P	.O. Route and Box	No.:		SURANCE COMPANY	USE
City: Pooler		State: Georg讀 2	IP Code: 31322	2	Policy No	umber: y NAIC Number:	
		S'S FIRST FLOOR I REQUIRED) (FOR					
The property owner, owner's au to determine the building's first f nearest tenth of a foot (nearest instructions) and the appropri	floor height for ins tenth of a meter i	surance purposes. Se in Puerto Rico). <i>Refer</i>	ctions A, B, and I ence the Founda	must also b tion Type	e complete Diagrams	ed. Enter heights to the (at the end of Section	
H1. Provide the height of the to	p of the floor (as	indicated in Foundation	on Type Diagrams) above the	Lowest A	djacent Grade (LAG):	
a) For Building Diagrams floor (include above-grade t subgrade crawlspaces or et	floors only for buil	ldings with		feet] meters	above the LAG	
b) For Building Diagrams higher floor (i.e., the floor al enclosure floor) is:			[] feet [meters	above the LAG	
H2. Is all Machinery and Equipr H2 arrow (shown in the Fou Yes No							y the
SECTION I - PROP	PERTY OWNER	R (OR OWNER'S A	JTHORIZED RE	PRESEN	TATIVE)	CERTIFICATION	3.
The property owner or owner's a A, B, and H are correct to the be indicate in Item G2.b and sign S	est of my knowled	entative who complete dge. Note: If the local	es Sections A, B, floodplain manage	and H must ement offici	t sign here. al complet	. <i>The statements in Sec</i> ed Section H, they shou	tions ald
Check here if attachments ar	e provided (inclu	ding required photos)	and describe eac	h attachme	nt in the C	omments area.	
Check here if attachments ar Property Owner or Owner's Auth				h attachme			
Property Owner or Owner's Auth	norized Represen		· · · · · · · · · · · · · · · · · · ·				
Property Owner or Owner's Auth Address: City:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature:	norized Represen	ntative Name:	· · · · · · · · · · · · · · · · · · ·	Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			
Property Owner or Owner's Auth Address: City: Signature: Telephone: Comments:	norized Represen	ntative Name:		Almania -			

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 **BUILDING PHOTOGRAPHS**

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:		FOR INSURANCE COMPANY USE
167 Champlain Drive City: Pooler	State: Georgia ZIP Code: 31322	Policy Number:
Oky.	Otate Zii Godo.	Company NAIC Number:

Instructions: Insert below at least two and when possible four photographs showing each side of the building (for example, may only be able to take front and back pictures of townhouses/rowhouses). Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." Photographs must show the foundation. When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo One

Photo One Caption: Front View

04-28-2024

Clear Photo One



Photo Two

Photo Two Caption:

Rear View

04-28-2024

Clear Photo Two

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON PAGES 9-19 **BUILDING PHOTOGRAPHS**

Continuation Page

Bulldi	ng Street Address (including A	pt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:	FOR INSURANCE COMPANY USE
	Champlain Drive		Policy Number:
City:	Pooler	State: Georgia ZIP Code: 31322	Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: Left View

04-28-2024






Photo Four

Photo Four Caption: Right View

04-28-2024

Clear Photo Four

ADDITIONAL BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 167 Champlain Drive			Policy Number:	
City	State	ZIP Code	Company NAIC Number	
Pooler	Georgia	31322		

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo One Caption

VENTS 04-28-2024



Photo Two Caption

VENT 04-28-2024





www.icc-es.org | (800) 423-6587 | (562) 699-0543



A Subsidiary of the International Code Council®

ICC-ES Evaluation Report ESR-3560

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD FLAPS®, LLC

EVALUATION SUBJECT:

FLOOD FLAPS® AUTOMATIC FLOOD VENTS: MODELS FFWF12; FFNF12; FFWF08; FFWF05; FFWF05

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2021, 2018, 2015, 2012 and 2009 International Building Code® (IBC)
- 2021, 2018, 2015, 2012 and 2009 International Residential Code® (IRC)

Properties evaluated:

- Physical operation
- Water flow
- Weathering

2.0 USES

Flood Flaps[®] automatic flood vents are used to provide for the equalization of hydrostatic flood forces on exterior walls. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General:

Flood Flaps® automatic flood vents are engineered mechanically operated flood vents (FVs) that automatically allow flood waters to enter and exit enclosed areas. The FVs are constructed of ABS plastic which serves as the FV's housing, and a front grill that contains an anodized metal screen imbedded in polypropylene plastic. On contact with rising flood water, the grill will disengage from its secured position, allowing flood water and debris to flow through in either direction. The FVs are available in two series as described in Section 3.3.

The sealed series models contain two rubber flaps that close the FV to the passage of air when using with conditioned areas or sealed crawl spaces. In the same

Reissued September 2022 Revised June 2023

This report is subject to renewal September 2023.

manner as the grill, the two rubber flaps are pushed open by water pressure, allowing water and debris to flow through the FV in either direction. See Figure 1 for an illustration of the Flood Flaps® automatic FV.

3.2 Engineered Opening:

The Flood Flaps® automatic FVs comply with the design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 (2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/SEI 24-05 (2012 and 2009 IBC and IRC)] for a rate of rise and fall of 5 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Flood Flaps® automatic FVs must be installed in accordance with Section 4.0.

3.3 Flood Vent Series Models:

Flood Flaps® automatic FVs are available in two series with multiple models and sizes as described in Table 1. The sealed series models, designated FFWF, include two rubber flaps for the prevention of air flow. The multi-purpose series, designated FFNF, omits the rubber flaps.

3.4 Natural Ventilation:

Flood Flaps® automatic FV models FFNF12, FFNF08, FFNF05, and FFNF02 have metal screens with ½ inch by ¼ inch (6 mm by 6 mm) openings and provide 37 square inches (0.02 m²) of net free opening to supply natural ventilation for under-floor ventilation. Flood Flaps® automatic FV models FFWF12, FFWF08, and FFWF05 have not been evaluated for use as openings for under-floor ventilation.

4.0 DESIGN AND INSTALLATION

Flood Flaps® automatic FVs are designed to be installed into walls of existing or new construction. Installation of the FVs must be in accordance with the manufacturer's instructions, the applicable code and this report. Flood Flaps® automatic FVs can be installed in wood, masonry and concrete walls up to a thickness of 12 inches (305 mm). In order to comply with the engineered opening design principle noted in Sections 2.7.2.2 and 2.7.3 of ASCE/SEI 24-14 (2021, 2018 and 2015 IBC and IRC) [Section 2.6.2.2 of ASCE/SEI 24-05 (2012 and 2009 IBC and IRC)], the Flood Flaps® FVs must be installed as follows:

- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 220 square feet (20 m²) of enclosed area.





- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305 mm) above grade.

5.0 CONDITIONS OF USE

The Flood Flaps[®] automatic flood vents described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

- 5.1 The Flood Flaps[®] automatic FVs must be installed in accordance with this report, the applicable code and the manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The Flood Flaps® automatic FVs must not be used in place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364), dated August 2015 (editorially revised April 2021).

7.0 IDENTIFICATION

- 7.1 The ICC-ES mark of conformity, electronic labeling, or the evaluation report number (ICC-ES ESR-3560) along with the name, registered trademark, or registered logo of the report holder (Flood Flaps[®]) must be included in the product label.
- 7.2 In addition, the Flood Flaps[®] models described in this report are identified by a label bearing the model number.
- 7.3 The report holder's contact information is the following:

FLOOD FLAPS®, LLC
POST OFFICE BOX 1003
ISLE OF PALMS, SOUTH CAROLINA 29451
(843) 881-0190
www.floodflaps.com
info@floodflaps.com

TABLE 1-FLOOD FLAP AUTOMATIC FLOOD VENT MODEL SIZES

MODEL NUMBER	MODEL DESIGNATION	ROUGH OPENING (Width X Height) (inches)	VENT SIZE (W X H X D) (Inches)	ENCLOSED AREA COVERAGE ² (ft²)	NET FREE AREA OPENING ¹ (In ²)
FFWF12	Sealed Series	16 x 8	151/ ₈ X 73/ ₄ X 12	220	NA.
FFNF12	Multi-Purpose	16 x 8	15% X 7% X 12	220	37
FFWF08	Sealed Series	16 x 8	155/a x 73/4 x 8	220	NA
FFNF08	Multi-Purpose	16 x 8	15 ⁵ / ₈ x 7 ³ / ₄ x 8	220	37
FFWF05	Sealed Series	16 x 8	15 ⁵ / ₉ x 7 ³ / ₄ x 5	220	NA.
FFNF05	Multi-Purpose	16 x 8	15 ⁵ / ₈ x 7 ³ / ₄ x 5	220	37

For SI: 1 inch = 25.4 mm; 1 f² = 0.093 m²

¹For under-floor ventilation only.

^{*}For under-noor vermision only.
*The enclosed coverage area in square feet for each model is equivalent to the performance of the same number of square inches of non-engineered openings.




FIGURE 1-FLOOD FLAPS® AUTOMATIC FLOOD VENT




FIGURE 2—FLOOD FLAPS® AUTOMATIC FLOOD VENT SERIES MODELS



FIGURE 3—FLOOD FLAPS® AUTOMATIC FLOOD VENTS MULTIPLE DEPTH OFFERINGS



ICC-ES Evaluation Report

ESR-3560 CBC and CRC Supplement

Reissued September 2022

Revised June 2023

This report is subject to renewal September 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 88-OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD FLAPS®, LLC

EVALUATION SUBJECT:

FLOOD FLAPS® AUTOMATIC FLOOD VENTS: MODELS FFWF12; FFNF12; FFWF08; FFNF08; FFWF05; FFNF05

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Flood Flaps® automatic flood vents, described in ICC-ES evaluation report ESR-3560, has also been evaluated for compliance with the code(s) noted below.

Applicable code editions:

- 2022 California Building Code (CBC)
- 2022 California Residential Code (CRC)

For evaluation of applicable Chapters adopted by the California Office of Statewide Health Planning and Development (OSHPD) AKA: California Department of Health Care Access and Information (HCAI) and the Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

2.0 CONCLUSIONS

2.1 CBC:

The Flood Flaps® automatic flood vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-3560, comply with CBC Chapter 12, provided the design and installation are in accordance with the 2021 *International Building Code®* (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12 and 16, as applicable.

- 2.1.1 OSHPD: The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.
- 2.1.2 DSA: The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

2.2 CRC:

The Flood Flaps® automatic flood vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-3560, comply with 2021 CRC, provided the design and installation are in accordance with the 2021 International Residential Code® (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued September 2022 and revised June 2023.





ICC-ES Evaluation Report

ESR-3560 FBC Supplement

Reissued September 2022

Revised June 2023

This report is subject to renewal September 2023.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00---OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

FLOOD FLAPS®, LLC

EVALUATION SUBJECT:

FLOOD FLAPS® AUTOMATIC FLOOD VENTS: MODELS FFWF12; FFNF12; FFWF08; FFNF08; FFWF05; FFNF05

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Flood Flaps^e automatic flood vents, described in ICC-ES evaluation report ESR-3560, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2023 and 2020 Florida Building Code—Building
- 2023 and 2020 Florida Bullding Code—Residential

2.0 CONCLUSIONS

The Flood Flaps® flood vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-3560, comply with the Florida Building Code—Building and the Florida Building Code—Residential, provided the design requirements are determined in accordance with the Florida Building Code—Building or the Florida Building Code—Residential, as applicable. The installation requirements noted in ICC-ES evaluation report ESR-3530 for the 2021 and 2018 International Building Code® meet the requirements of the Florida Building Code—Building or the Florida Building Code—Residential, as applicable.

Use of the Flood Flaps flood vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code—Building and the Florida Building Code—Residential.

For products falling under Florida Rule 61G20-3, verification that the report holder's quality-assurance program is audited by a quality-assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official, when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued September 2022 and revised June 2023.

